



SP SERIES

KAMA Commercial Vehicles offers a diverse selection of solutions for all your transportation needs.

URBAN DELIVERY

URBAN TRANSIT





Powerful 1.6L and 2.0L Gasoline Engine



40kWh CATL LFP Battery for EV Versions



1.0T and 1.5T Versions
Heavy Duty Dual-Wheel Option



SP SERIES

Available in:



Gasoline Versions



Electric Versions

LHD and RHD Configurations



Mini-Bus 11-Seater
Mini-Bus 14-Seater

Gasoline Version: 1.6L and 2.0L
Electric Version



Cargo Van Short Wheelbase
Cargo Van Long Wheelbase

Gasoline Version: 1.6L and 2.0L
Electric Version



Single-Cab Pick-Up
1.0T Short Wheelbase
1.0T Long Wheelbase
1.5T Heavy-Duty Dual Wheel

Gasoline Version: 1.6L
Electric Version



Double-Cab Pick-up
1.0T Short Wheelbase
1.0T Long Wheelbase
1.5T Heavy-Duty Dual Wheel

Gasoline Version: 1.6L and 2.0L
Electric Version



2 Years/60,000 kms



5 Years/200,000kms
Electric Vehicle Battery and Motor

KAMA SP VAN

KAMA SP - VAN		
Model	SP6	SP7
Fuel Type	Gasoline Type	
Emission	Euro-VI	
Payload	1.2T	
Cabin	Unitized Body for 11 Seats	Unitized Body for 11+3 Seats
Wheel Base (mm)	3050	3450
Overall Dimensions (mm)	4860 * 1715 * 1995	5265 * 1715 * 1995
Seating Capacity	11 Seats	14 Seats
GVW	2620	2810
Max. Speed (Km/h)	100	
Tyre Model	185R14LT	
Qty of Wheels	4 + 1	
Brake System	Hydraulic Brake	
Parking Brake	Central Brake	
Gearshift	5+1 Speed, Manually	
Battery Volt	12V	
ENGINE POWER		
Engine Model	DAM16KR(DAE)	DAN20R
Displacement (cc)	1597	1998
Power HP / rpm	120 / 6000	150 / 6000
Torque (N.m) / rpm	158 / 4800	204 / 4400
CONFIGURATIONS		
ABS	●	
Power Steering	●	
Media	MP5	
A/C	●	
Power Window	●	
Central Lock	●	

KAMA BEV

BEV ESP7	
MODEL	ESP7
Cabin	Unitized body
Wheel Base (mm)	3450
Curb Weight (Kg)	1700
Max. Speed(Km/h)	90
TYRE MODEL	195R14C 8PR
QTY of wheels	4+1
Brake system	hydraulic brake
POWER BATTERY AND MOTOR	
Rated power (V)	334.88V
Brand	CATL
Battery type	Lithium Iron Phosphat
PACK(kW-h)	41.86
Charger type	Fast/slow(GB)
Motor model	Wuhan Lincontrc
CONFIGURATIONS	
ABS	●
Power steering	●
ESC	●
EPB	●
A/C	●
Power window	●
Central lock	●
Media	MP5



KAMA V-SERIES

KAMA V-Series Mini Truck

Model	V-Series V12	V-Series V15
Fuel Type	Gasoline	
Emission	Euro-6	
Payload	1.2T	1.5T
Cabin	Single/Double Cabin	Single/Double Cabin
Wheel Base (mm)	3400	3600
Overall Dimensions (mm)	5460*1715*2100	5995*1910*2090
Seating Capacity	2	2
GVW	2700	3250
Max. Speed (Km/h)	100	
Tyre Model	185R14LT	
Qty of Wheels	4+1	6+1
Brake System	Hydraulic Brake	
Parking Brake	Central Brake	
Gearshift	5+1 Speed, Manual	
Battery Volt	12V	
ENGINE POWER		
Engine Model	DAM16KR(DAE)	
Displacement (cc)	1597	
Power HP/rpm	90/6000	
Torque (N.m)/rpm	158/4800	
CONFIGURATIONS		
ABS	STANDARD	
Power Steering	STANDARD	
Media	MP5	
A/C	STANDARD	
Power Window	STANDARD	
Central Lock	STANDARD	





Authorized Caribbean Distributor :



Cra. 11 No 90-16, Oficina 509, Bogota, Colombia
Tel: +57 310-478-6117
e-mail: sales@carmq.com
web: www.carmq.com